

UP Database

CSC230 Database Technologies for Analytics

08 November 2016

gov_id	
◆ id	integer
○parent_id	integer
○name	varchar(10)
○type	varchar(8)

township	
o id	integer
o name	varchar(10)
o population	integer

county	
◆ id	integer
o name	varchar(10)
o population	integer

state	
o id	integer
o name	varchar(10)
o population	integer

other_unit	
o id	integer
o name	varchar(10)
o population	integer

owner	
◆ id	integer
o name	varchar(15)
o phone	varchar(12)
o type	varchar(7)

upfall	
◆ id	integer
o name	varchar(15)
o datum	varchar(7)
o zone	integer
o northing	integer
o easting	integer
o lat_lon	varchar(20)
o county_id	integer
o open_to_public	varchar(1)
o owner_id	integer
o description	varchar(80)
o confirmed_date	timestamp

fall_location	
o id	integer
o datum	varchar(7)
o zone	integer
o northing	integer
o easting	integer

fall_description	
o id	integer
o name	varchar(15)
o description	varchar(80)

new_falls	
o id	integer
o name	varchar(15)
o datum	varchar(7)
o zone	integer
o northing	integer
o easting	integer
o lat_lon	varchar(20)
o county_id	integer
o open_to_public	varchar(1)
o owner_id	integer
o description	varchar(80)
o confirmed_date	timestamp

trip	
◆ name	varchar(10)
◆ stop	integer
o parent_stop	integer